包装审核区域责任划分 Baseus					
	产品外观/参数/镭雕				
产品 相关	彩盒/说明书文案	· · · · · · · · · · · · · · · · · · ·			
	执行标准/生产商信息	产品经理/项目主管请在此处签名			
认证 相关	认证相关文案	认证工程师请在此处签名			
	认证相关图标	以此工性抑制工巧之业口			
品质相关	法律法规相关文案	品质工程师请在此处签名			
	警示语	ロスエモが特任めた並ら			
定制 需求	定制渠道需求	定制代表请在此处签名			
品类	产品功能/图标表达				
相关	文案部分/翻译	品类策划/文案策划请在此处签名			
	产品条形码				
包装 设计 相关	公司地址信息				
	文件基于最新量产版	卢壮:心山压,但比,十栋洼大山乱体力			
	包装设计规范	包装设计师/组长/主管请在此处签名			

倍思包装设计稿件信息 **Baseus** 产品型号 产品名称 倍思 GaN2 Pro氮化镓快充充电器2C+2U 100W 欧规 黑色 白色 其 本 产品方案编码 信息 PB2971Z-P0A2 物料编码 1000008228 包装编码+版本号 物料规格描述 说明书\悦声上臻高白100g\双面单色印刷\60*95mm\3页 包装平面设计 丘一田 包装结构设计 干廷兴 版本历史 版本 变更日期 变更描述 P0A1 2021.03.30 P0A2 2022.08.01 1.更改企标 2.更改版本号 3.增加物料号







1. Product Parameter

Name GaN2 Pro Quick Charger Model No: CCGANIDOUE Material: PC Input: AC 100/240V -, 50/60Hz, 25A Max. Type-C1/Type-C2 Output: 50/93 A0(15.0%), 9.0V = 3.04(27.0%), 12.0V = 3.04(36.0%), 12.0V = 3.04(36.0%), 9.0V = 3.04(15.0%), 9.0V = 3.04(27.0%), 12.0V = 3.04(36.0%), 9.0V = 3.04(15.0%), 9.0V = 3.04(27.0%), 12.0V = 3.04(36.0%), 9.0V = 3.04(15.0%), 9.0V = 3.04(27.0%), 12.0V = 3.04(35.0%), 9.0V = 3.04(15.0%), 9.0V = 3.04(27.0%), 12.0V = 3.04(35.0%), 9.0V = 3.04(15.0%), 9.0V = 3.04(27.0%), 12.0V = 3.04(35.0%), 9.0V = 3.04(27.0%), 10.0% = 3.04(27.0%), 15.0V = 3.04(35.0%), 9.0V = 3.04(27.0%), 12.0V = 3.04(36.0%), 15.0V = 3.04(15.0%), 9.0V = 3.04(27.0%), 12.0V = 3.04(36.0%), 15.0V = 3.04(35.0%), 9.0V = 3.04(27.0%), 12.0V = 3.04(36.0%), 15.0V = 3.04(35.0%), 9.0V = 3.04(27.0%), 12.0V = 3.04(36.0%), 15.0V = 3.04(35.0%), 9.0V = 3.04(27.0%), 12.0V = 3.04(36.0%), 15.0V = 3.04(35.0%), 9.0V = 3.04(27.0%), 12.0V = 3.04(36.0%), 15.0V = 3.04(35.0%), 9.0V = 3.04(27.0%), 12.0V = 3.04(36.0%), 15.0V = 3.04(35.0%), 9.0V = 3.04(27.0%), 12.0V = 3.04(36.0%), 15.0V = 3.04(35.0%), 9.0V = 3.04(27.0%), 12.0V = 3.04(36.0%), 15.0V = 3.04(35.0%), 9.0V = 3.04(27.0%), 12.0V = 3.04(36.0%), 15.0V = 3.04(35.0%), 9.0V = 3.04(27.0%), 12.0V = 3.04(36.0%), 12.0V = 3.04(35.0%), 9.0V = 3.04(27.0%), 12.0V = 1.674(20.0%) 18.0W : 5.0V = 3.04(15.0%), 9.0V = 3.04(27.0%), 12.0V = 1.674(20.0%) 18.0W : 5.0V = 3.04(15.0%), 9.0V = 3.04(27.0%), 12.0V = 1.674(20.0%) 18.0W : 5.0V = 3.04(15.0%), 9.0V = 3.04(15.0%), 9.0V = 3.04(15.0%)) Product size: 92.0X 30.5 \$\$3.8mm Product

Name, backs mini winite series bas Cable(with E-marker Cir Material TPE Current: 50A (20.0V=5.0A 100.0W) Interface: Type-C to Type-C Length: In

The above data are measured by the Baseus laboratory, the actual use will be slightly different depending on the specific circums

-1-

2. Packing List

Charger $\times 1$ User Manual $\times 1$ Warranty Card $\times 1$ SAC to 2.0% 5A 100W Charging Cable (With E-Marker Chip) $\times 1$

3. Product Diagram



4. Product description

4. Product description
This product is a 100W travel charger made of new semiconductor material Gan. The product is a mall size, rich interfaces (ZC 2U), complete fast charging protocols, and supports QC4 + PD30, QC30, QC20, SCP, FCP, AFC, PE +, etc. the maximum output power of Type-C1 and Type-C2 is 100W when they are used separately (20V – 5A), which can provide full speed fast charging for most laptops. When Type-C1 or Type-C2 and USB1 or USB2 ports are charged at the same time, 99W output power can still be supported, which can provide the same speed fast charging for Mouple laptops. At the same time, it can support the fast charging for most mobile phones and laptops. Products built-in over-current, over-voltage, temperature protection and other multiple safety protection circuit.

5. Use environment

(1)Operating environment temperature: nor-tropical areas below 2000m above sea level. (2) ▲ Not to be used in tropical regions. 3) ▲ Not to be used above 2000m. 4) ▲ Not suitable for outdoors.

6. Statement on Toxic and Hazardous Substances in Electronic Information Products

	Toxic or hazardous substances and elements 🐠						
Part Description	Lead (Pb)	Mercury (Hg)	Cadmium (Cd)	Hexavalent chromium (Cr VI))	Polybrominated biphenyls (PBB)	Polybrominated diphenyl ethers (PBDE)	
PCB	Х	0	0	0	0	0	
Plastic	0	0	0	0	0	0	
Metal	Х	0	0	0	0	0	
Accessory	0	0	0	0	0	0	

This form is compiled in accordance with SJ/T 11364.

0:It indicates that the content of the toxic and harmful substance in all homogeneous materials of the component is below the limit specified in GB/7 26572 standard. X: The content of toxic and harmful substances in at least one homogeneous material of this part exceeds the limit stipulated in GB/7 26572 standard. This product complies with EU RoHS 2.0 Directive(2011/65/EU) -3The 10-year icon refers to the "effective life of environmental protection", not the product quality assurance period. Electronic products all contain toxic and harmful substances such as lead, mercury and cardinium. Once they are overused, toxic and harmful substances may leak or mutate, cause pollution to the environment, or cause serious damage to people and property. The term of "environmental protection use" means that all electronic products will be required to use within this effective period. We will no longer be responsible for the quality of the products due to the safety risks that arise after the safe use period.

7. Tips

Please read all instructions and warnings before using this product. Non-standard use will damage the product or personal safety. (1)Do not store the product in high temperature, strong light and strong magnetic field. Do

not place it in other harsh environments such as fire source. (2)Improper use of the product can easily cause damage to the product or may endanger personal and property safety. (3)Consumer shall be liable for any personal and property damage resulted from their

(a) Constant is a failed to any personal and property damage resulted for in their improper use against the user manual or ignoring the warning, to which our company will not bear any legal liability.
(4) Disintegration of this product by non-professionals is strictly prohibited.

(4) Usintegration of this product by non-professionals is sincely promoted.
(5) Use of household appliances or loads in excess of the output current of this product shall be avoided (no output due to circuit protection).

(b)Intense physical actions including knocking, throwing, trampling on and squeezing, etc. shall be avoided.

-4-

Warning Please follow the above safety instructions otherwise it will cause fire, electric shock, damage or other damage.

It is hereby declared that CCGAN100UE, a product model of Shenzhen Times Innovation Technology Co., Ltd., complies with the provisions of Directive 2014/35/EU, Directive 2014/30/EU, Directive 2011/55/EU and Directive 2004/35/EC. The full tor of the EC Declaration of Conformity can be found on the following website: www.baseus.com





Manufacturer: Shenzhen Times Innovation Technology Co., Ltd. Add: 5th Floor, Building B, Baseus Intelligence Park, No 2008, Xuegang Rd, Gangtou Community, Bantian Street, Longgang District, Shenzhen Executive Standard: Q/SSCZ 009 Hotline: 466-4007-112-711 Website: www.baseus.com

-5-

PB2971Z-P0A2 1000008228 Designed by Baseus Made in China